ROCKWOOD

ACCUMANA, CASSOOR FISH FOR STATE

TAMAS

TAMAS

FREEDOM * PREMIER * HIGH WALL * HARD SIDE TENT CAMPERS













FREEDOM

MAKING YOUR INVESTMENT GO A LONG WAY.

Rockwood takes pride in packing the most value possible into our Freedom series. While coming standard with many features, you still have flexibility to incorporate as many options as you choose to fit your camping preferences.



Water Pump w/ Filter (Std.)

Easy glide scissorpole bed supports (Except LTDs)

Plywood Bed Ends (N/A Hard Side)

Heated Mattress (Std. Opt.)



Outside grill with work table (Std. Freedom, Premier, Hard Side, High Wall) Sliding Storage Trunk
(Some Models)

Crank Down stabilizer Jack (Std.)

Swing down galley (Except LTDs, Hard Side, High Wall)

PREMIER

A PROVEN TRACK RECORD MAKES THIS UNIT PREMIER

Year in and year out the Premier series consistently delivers with outstanding features and styling to enhance your camping experience. The swing down galley and standard power lift make the Premier a breeze to set up. The expansive seating throughout the camper gives everyone plenty of room to sit and enjoy themselves.



Hanging Shirt Bar (Std. Premier, Hard Side & High Wall)

LED Bunk Light and Fan (Std. Premier & High Wall)

Metal Full Extension Drawer Guides (Std.)



Bike Rack Option (Most Models)

Fantastic Fan (Except LTDs.)

Outside Shower (Incl. w/Hot Water Pkg: Std: Premier, Hard Side, High Wall and Opt: Freedom) Large Entry Assist Handle (Except LTDs)

One-piece Door (Except LTD, Hard Side)





HIGH WALL

IT'S YOUR VACATION. WHY NOT GO IN STYLE?

The Rockwood High Wall campers are perfect for those families who want the luxurious features of a travel trailer in a much lighter towable option. The Cherry colored cabinetry, stainless steel finishes and beautiful tile-look flooring puts this camper in a class of its own.



Hanging Wardrobe (Opt. all Models Except Freedom, Hard Side & LTD's) Power Lift (Std. Premier, High Wall and Freedom XR models. Opt. MAC/LTD) Double Entry Step (Std. Freedom XR Models and All HW Models)




Beautiful hardwall shower with a residential-style flush toilet complete with a 12-gallon black water holding tank. (Std. High Wall)

Black water hose storage (Std. HW models)

Add-a-Room with Privacy Panels (Opt. all Models Except Hard Side)







SUPERIOR CONSTRUCTION

- 1) Three Stage Double Arm Lifter Posts (NA Hard Side)
- Fiberglass Vacuum Bonded Radius Roof w/ No Center Seam (NA Hard Side)
- 3) Five-Piece Vinolon Supreme Tenting (NA Hard Side)
- 4) E-Z Crank Down Stabilizer Jacks w/Sand Pads
- 5) Full Perimeter Aluminum Bed Frames (NA Hard Side)
- 6) Plywood Bunk Ends (NA Hard Side)
- 7) Seven-Way Pigtail Wiring
- 8) Under Floor 20 Gallon Fresh Water Tank (LTDs 11 Gallon Above Floor)

- 9) Powder Coated Tubular Steel Frame
- 10) Powder Coated Rafter Poles and Bed Bows (NA Hard Side)
- 11) Air Conditioner Reinforcing Laminated Into Roof (NA Hard Side)
- 12) Steel Belted Radial Tires
- 13) Easy Lube Axles (Except LTDs)
- 14) Smooth Fiberglass Vacuum Bonded Exterior (NA on Freedoms)
- 15) One-Piece Door (Except LTDs & Hard Side)




AL-KO® TORSION AXLES AND EASY LUBE HUBS

AL-KO Axles offer many advantages over conventional axles:

- · Fully Independent Wheel Suspension
- No Metal to Metal Contact and No Springs, Shackles, Hangers, or U-bolts to Break or Wear Out
- · Lower Trailer Center of Gravity For Improved Stability



The UltraLube™ Hubs allow you to repack bearings quickly and easily without disassembly.



Note: Torsion Axles on Premier's, HS's and HW's only. Easy-Lube Hubs on all units except LTDs.

HARD SIDE

VACATIONS LIKE A TRAILER & STORES LIKE A CAMPER.

The Hard Side tent camper brings a smooth, fiberglass vacuum bonded exterior with quick, easy set up, while retaining the towing and storage advantages of the Premier tent camper. Making it the perfect product for your camping adventure.






Hard Side Awning & Screen Room option.

SPECIFICATIONS

10

Model number of any particular unit does not necessarily reflect the overall length of the unit itself. Dry weights are estimates.

MODEL	A122	A122S	A124TS	A128S	A122BH	A122TH	A127TH	A194HW	A192HW
BASE/DRY UNIT WEIGHT	1893	1955	1982	1886	1943	2186	2152	2052	2100
BASE DRY HITCH WEIGHT	247	283	268	275	268	354	349	327	330
BASE DRY AXLE WEIGHT	1646	1672	1714	1611	1675	1832	1803	1725	1770
CARGO CAPACITY	1005	1217	1217	1217	1217	1630	1678	1237	1192
BOX SIZE	12'	12'	12'	12'	12'	12'	12'	12'	12'
TRAILER SIZE (CLOSED W/ HITCH)	17'1"	18' 11"	18' 11"	18' 11"	19' 2"	22' 1"	22'1"	18' 11"	18' 11"
HEIGHT (CLOSED)	60"	60"	60"	60"	60"	65"	65"	66"	66"
FRESH WATER CAPACITY	26	26	26	26	26	26	26	26	26



A192HW

A194HW

^{*}For more on the Rockwood Hard Side High Wall go to the back cover.



ROCKWOOD PREMIER

SPECIFICATIONS


Model number of any particular unit does not necessarily reflect the overall length of the unit itself. Dry weights are estimates.

MODEL	2317G	2514G	2516G	2716G
BASE/DRY UNIT WEIGHT	2445	2446	2473	2555
BASE DRY HITCH WEIGHT	358	303	292	370
BASE DRY AXLE WEIGHT	2087	2143	2181	2185
CARGO CAPACITY	894	838	800	796
BOX SIZE	12'	12'	12'	14'
TRAILER SIZE (Closed w/ Hitch)	19'1"	19'1"	19' 1"	19' 4"
HEIGHT (Closed)	61"	61"	61"	61"
TRAILER LENGTH (Open)	23' 9"	23' 9"	23' 9"	25' 9"
FRESH WATER CAPACITY	26	26	26	26











ROCKWOOD HIGH WALL

SPECIFICATIONS

Model number of any particular unit does not necessarily reflect the overall length of the unit itself. Dry weights are estimates.

MODEL	HW 276	HW 277	HW 296	HW 316TH
BASE/DRY UNIT WEIGHT	2806	2962	3135	3738
BASE DRY HITCH WEIGHT	279	370	373	337
BASE DRY AXLE WEIGHT	2527	2592	2762	3401
CARGO CAPACITY	935	870	1217	2317
BOX SIZE	14'	14'	16'	14'
TRAILER SIZE (Closed w/ Hitch)	19' 4"	19' 4"	21' 4"	28' 4"
HEIGHT (Closed)	71"	71"	72"	71"
TRAILER LENGTH (Open)	25' 9"	25' 9"	27' 9"	33' 9"
FRESH WATER CAPACITY	26	26	26	26
GRAY WATER CAPACITY	12	12	12	12
BLACK WATER CAPACITY	12	12	12	12



























FREEDOM





SPECIFICATIONS

Model number of any particular unit does not necessarily reflect the overall length of the unit itself. Dry weights are estimates.

MODEL	1910	1950	1970	1980	2270	2280	2280BH	2318G	2560G	232XR	282TXR	1640LTD	1940LTD
BASE/DRY UNIT WEIGHT	1944	1732	1764	1737	2006	2050	2122	2153	2364	2579	2975	1344	1493
BASE DRY HITCH WEIGHT	245	240	252	219	293	331	382	313	249	310	219	190	174
BASE DRY AXLE WEIGHT	1699	1492	1512	1518	1713	1719	1740	1840	2115	2269	2756	1154	1319
CARGO CAPACITY	1032	917	866	866	966	966	991	891	866	1212	2317	683	762
BOX SIZE	10'	10'	10'	10'	12'	12'	12'	12'	14'	12'	12'	8'	10'
TRAILER SIZE (Closed w/ Hitch)	17' 1"	15' 3"	15' 3"	15' 3"	17' 2"	17' 2"	18' 8"	17' 2"	19' 2"	21' 9"	26'	12'	14'
HEIGHT (Closed)	57"	57"	57"	57"	57"	57"	57"	57"	57"	62.5"	62.5"	56 "	56"
TRAILER LENGTH (Open)	20' 4"	20'1"	20'1"	20'1"	23' 10"	23' 10"	23' 10"	23' 10"	25' 10"	26' 5"	30' 8"	17'1"	20'1"
FRESH WATER CAPACITY	20	26	20	20	20	20	20	20	26	26	26	11	11

STANDARDS & OPTIONS

Standards & Options are subject to change.

MODELS	LTD	F	Р	HS	HW	MODELS	LTD	F	Р	HS	HW	MODELS	LTD	F	Р	HS	HW
STANDARD & OPTIONAL FEATURES						Three Burner Glass Top Stove with Oven						2 Ceiling LED Lights				S	
Cherry Interior with "Tile-Look" Linoleum			S	S	S	· ·				S*	S	3 Ceiling LED Lights w/ Jacks for Accessories		S	S*		
Hickory Interior with "Tile-Look" Linoleum	S	S								S	S	4 Ceiling LED Lights w/ Jacks for Accessories					
Two-Tone Fabric Interiors	S	S	S	S	S	Large Built-In Icebox	S	S	S			(P: 2716G Only)			S*		S
Residential Style Kitchen Faucet	S	S	S	S		110V Electric Outside Accessible Refer (P: 2716G Only)			S*			Bunk LED Light with Fan			S		S
Stainless Steel Look Appliances and Sink			S	S	S	3 Way Refer 1.9 cu. ft.	0	0				LED Bunk Light (F: 2318G, 2560G, 232XR,					
Double Pan Sink with High Rise Faucet						3 Way Refer 2.5 cu. ft.			0	S		282TXR Only)		S*	S		S
(HS: A194HW Only)				S*	S	Extra Large 3 Way Refer (HS: A194HW, A192HW Only)				S*	0	LP Leak Detector	S	S	S	S	S
Electric Water Pump	S	S	S	S	S	Free Standing Lite-Ply Table—High Pressure Laminate	S	S	S	S	S	Carbon Monoxide Detector	0	0	0	0	0
Hot Water Package (Incl. Water Filter, Outside						Comfortable Family Style Dinette w/ 4" Cushions	S	OPA	S	S	S	Privacy Curtains	S	OPA	S	S	S
Shower, Six Gallon DSI Hot Water Heater)						Residential Style Raised Panel Doors			S	S	S	Roof Valances		OPA	S		S
(F: 1910, 1970, 1980, 2270, 2280, 2280BH, 2318G)		0*	S	S	S	Wood Drawers w/ Full Extension Metal Guides	S	S	S	S	S	Quilted Top Bed Mattresses	S	S			
Port-a-Potty (F: 1910 ONLY P: 2514G HS: A122, A122S	,					Large Clothes Bar			S	S	S	Quilted Top Innerspring Mattresses					
A122BH, A122TH, A127TH, A128S, A192HW)		S*	S*	S*		Hanging Wardrobe			0		0	(HS: A122, A122S, A122BH, 122TH Only)			S	S*	S
Cassette Swivel Toilet w/ Fresh Water Flush						Hanging Pantry		0	0		0	Quilted Top 60" x 80" Innerspring Mattresses					
(HS: A124TS Only)				S*		AM/FM Stereo with CD player			S	S	S	(HS: A192HW Only)				S*	
Shower Cassette Package Incl. Water Filtration						AM/FM Stereo with CD and DVD player (HW296 Only)					S*	Thermostatically Controlled Heated Mattresses					
System,Six Gallon DSI Hot Water Heater, Demand						TV Outlet with Cable and Satellite Hook Up		S	S	S	S	(HS: A122, 122S, A122BH, A122TH, A192HW Only)	SO	SO	SO	S*	SO
Water Pump, and Cassette Toilet (Opt. F: 2280, 2280	IBH,					LCD TV (HW296 Only)					S*	Leaf-Spring Axle	S	S			
2318G) (Std. F:1950, 2560G, 232XR, 282TXR,						30 Amp Detachable Power Cord w/ Storage Bag		S	S	S	S	Independent Torsion Axles			S	S	S
P: 2516G 2716G HW: 194HW)		S*/0*	S*	S*		25 Amp Converter w/ Built in Battery Charger	S					Easy Lube Axles		S	S	S	S
Hard Wall Shower with Residential Flush Toilet					S*	35 Amp Converter w/ Built in Battery Charger		S	S	S	S	Spare Tire, Cover and Mount	S	OPB	0P1	S	OP1
Fold Over Galley with Upper and Lower Storage						12V Safety Breaker	S	S	S	S	S	12" Radial Tires	S				
(Std. P: 2514G Only)	S		S*			Roof Vent	S					13" Radial Tires (F: Except XR Models)		S*			
Two Burner Free-Standing Range	S					Create-A Breeze Three Speed Fantastic Fan		SO	SO	SO	SO	13" Radial Tires w/ Aluminum Wheels					
Swing Level Galley with Storage						Air Conditioner Wiring Kit	0	0	0		0	(HS: Except TH Models)			S	S*	
(N/A P: 2514G, 2317G)		S	S*			10k BTU Cool Cat Heat Pump				S		14" Radial Tires w/ Aluminum Wheels					S
Permanently Mounted 3-Burner Indoor Range						13.5k BTU Air Conditioner (Factory Installed)					0	15" Mud Rover Radial Tires, Aluminum Wheels					
w/ Stove Cover		S				20k BTU Forced Air Furnace w/ Electric Ignition	0	0	0	0	0	(Std. A122TH, A127TH Only) w/ Shocks (Std. F: 232X	R,				
Permanently Mounted 3-Burner Indoor Range						Interior Floor Lights				S	S	282TXR Only)		S*		S*	
w/ Glass Stove Top Cover			S	S		2 Ceiling LED Lights w/ Jacks for Accessories	S					Electric Brakes	0	S	S	S	S

LTD = LIMITED F = FREEDOM

P = PREMIER

HS = HARD SIDE HW = HIGH WALL S = STANDARD

SO = STANDARD OPTION

0 = OPTIONAL

-- NOT AVAILABLE

OP = OPTION PACKAGES

* = SELECTED MODELS









MODELS	LTD	F	P	HS	HW
Slam Latches on Front Trunk Side Doors (P: 23176,					
2514G, 2516G Only)			S*		
Sliding Storage Tray on All Front Trunk Models					
(HS: A192HW, A194HW Only)		S*	S*	S*	
28.5" Front Storage Deck w/ 200 # Weight Capacity					
(Std. F: 2280BH, HS: A122BH Only)		S*		S*	
54" Frt. Storage Deck w/ 650 # Wt. Capacity					
(Std. F: 232XR)		S*			
57" Frt. Storage Deck w/ 650 # Wt. Capacity					
(Std. HS: A122TH, A127TH)				S*	
105" Front Storage Deck w/ 1300 # Weight Capacity					
(Std. F: 282TXR, HW: HW316TH Only)		S*			S*
(4) Bike Rack (N/A F: 232XR, 282TXR HS: A122TH,					
A127TH HW: HW316TH) (Note: HS: A122 - 2 Bikes only)	0	0*	0	0*	0*
Power Lift System (Std. F: 232XR, 282TXR)	0	0*	S		S
Built-in A-Frame Mounting Provision for Equalizer					
Hitch Bar Installation	S	S	S	S	S
Battery Box and Wiring Kit	0	S	S	S	S
20 lb. LP Bottle	S	S	S		
(2) 20 lb. LP Bottles (Std. F: 232XR, 282TXR Only)		S*			
Dual 20 lb. LP Bottles with Cover		0	0	S	S
Automatic LP Regulator		0	0	S	S
Diamond Plated Front Cap					S
Diamond Plated Front, Rear and Side Skirt					
(F: 232XR, 282TXR Only)		S*			
Awning	S	OPB	OP1		OP1
Awning/Screen Room				0	
Screen Room w/ Privacy Panels	0	0	0		0
Outdoor Gas Grill w/ Worktable	0	S	S	S	S
Outside Speaker			S	S	S
Patio Light (LTD: 1940 Only)	S*	OPA	S	S	S

MODELS	LTD	F	P	HS	HW
Courtesy Light on Front (F: 2280BH, 232XR,					
282TXR, HS: All Models)		S*		S	
110V Exterior Outlet (LTD: 1940 only)	S*	OPA	S	S	S
Black Water Hose Storage					S
Door Step	S	OPB*	OP1	S	OP1
Double Door Step (F: 232XR, 283TXR Only,					
HW: All Models)		S*			S
One Piece Screen Door		S	S		S
Vented Entrance Door Window w/ Screen				S	
Folding Grab Handle		S	S	S	S
Exterior Graphic Design	S	S	S	S	S
OPTION PACKAGE 1 (Incl. Spare Tire, Tire Bracket,					
Tire Cover, Installed Step, Awning)			0		0
OPTION PACKAGE B (Incl. Spare Tire, Tire Bracket,					
Tire Cover, Installed Step, Awning)		0			
OPTION PACKAGE A (Incl. Privacy Curains, Roof					
Valances, 4" Foam Cushions w/ Cover, Under Floor					
20 Gallon Fresh Water Tank, A/C Bracing, Patio Light,					
110V Exterior Outlet)		0			
STANDARD CONSTRUCTION FEATURES					
Completely Enclosed Living Area				S	
Fiberglass Vacuum Bonded Roof with Metal					
Interior Roof				S	
Large Rear Roof Tinted Sky Light with Shade				S	
Two Front Roof Tinted Windows with Shades				S	
Fiberglass Vacuum Bonded Radius Roof w/					
No Center Seam	S	S	S		S
Steel Air Conditioner Vent Reinforcing					
Laminated Into Roof	S	OPA	S		S
CP 3-Stage Double Arm Lifter Posts	S	S	S		S

MODELS	LTD	F	P	HS	HW	
Smooth Fiberglass Vacuum Bonded Exterior w/						
Black Accents			S	S	S	
Lower Door Operational in Closed Position	S	S	S		S	
Five Piece Sectionalized Vinolon Supreme Tenting	S	S	S		S	
Tent Permanently Attached on Bunk Ends						
and Slide Out	S	S	S		S	
Plywood Bunk Ends	S	S	S		S	
Full Perimeter Aluminum Bed Frames	S	S	S		S	
Easy Glide Scissor Pole Bed Supports		S	S		S	
Powder Coated Rafter Poles and Bed Bows	S	S	S		S	
Tinted Vinyl Windows	S	S	S		S	
Large, Opening Picture Window				S		
One Piece Undercoated Structure Wood Floor	S	S	S	S	S	
Powder Coated Tubular Steel Frame	S	S	S	S	S	
Rear Crank Down Stabilizer Jacks w/ Sand Pads	S					
(4) E-Z Crank-Down Stabilizer Jacks w/ Sand Pads		S	S	S	S	
Seamless, High Density Polyethylene Wheel Wells	S	S	S	S	S	
11 Gallon Fresh Water Tank	S					
Under Floor 20 Gallon Fresh Water Tank		S	S	S	S	
12 Gallon Gray Water Holding Tanks					S	
12 Gallon Black Water Holding Tank					S	
2000 lb. Tongue Jack w/ Swivel Wheel	S	S	S	S	S	
Power Front Jack				0	0	
7-Way Pigtail Plug	S	S	S	S	S	

LTD = LIMITED F = FREEDOMP = PREMIER

HS = HARD SIDE HW = HIGH WALL S = STANDARD

SO = STANDARD OPTION

0 = OPTIONAL

-- NOT AVAILABLE OP = OPTION PACKAGES * = SELECTED MODELS



PRE-DELIVERY INSPECTION FACILITY

20,000 square feet of quality assurance. The bare essentials for a premium product. This state-of-the-art facility gives immediate daily feedback to production for quality assurance in every unit built.



Forest River, Inc. encourages our customers to purchase their Forest River products from a local dealership whenever possible for the following reasons: Forest River, Inc. dealers are independently owned and operated businesses so priority service and scheduling is at their discretion and is often provided to customers that purchased their unit at that dealership.

- Purchasing locally allows customers to establish meaningful relationships with a dealer, enhancing the RV experience through assistance with product questions, user tips or RV regulations for your state or country, and much more!
- 3) Canadian customers must meet requirements to bring an RV purchased out of the country to their home. These requirements may involve additional inspections and certifications, taxes and fees. Your local Canadian Dealer is a professional at meeting these requirements.
- 4) Scheduling timely warranty repairs and adjustments through a local dealership provides far greater flexibility and convenience to you, the customer!


It is the goal of Forest River, Inc. that all of our RV owners fully enjoy the RV experience and that customer satisfaction meets or exceeds their expectations!

24/7 EMERGENCY ROADSIDE ASSISTANCE For a worry-free ownership experience Forest River includes one year of Coach-Net RV Technical & Roadside Assistance with each RV purchase. Whether new to the RV lifestyle or an experienced RV enthusiast, Forest River owners have 24/7 access to technical, operational and emergency road service coverage throughout the US & Canada. Coach-Net's fast, dependable service is just a phone call away.

INTRODUCING THE ROCKWOOD HARD SIDE HIGH WALL.

These models bring added conveniences and taller counter tops to our Hard Side line of campers.

* See page 10 for floorplans.



WARRANTY

For details on Rockwood's complete warranty program, see your Rockwood dealer. When it comes to backing products with the same quality and commitment it does when it begins the manufacturing process, the only name you have to remember when you're looking for a recreational vehicle is Rockwood. Rockwood offers the following additional limited warranties to the original purchasers. Consult written warranty for details.

1. Five-year roof warranty, 2. Twenty-five-year floor warranty, 3. Five-year frame warranty, 4. Five-year tent warranty, 5. Five-year warranty on torsion axle suspension, 6. Limited lifetime warranty of lifter system, 7. One-year bumper to bumper. Ask your dealer about the available lifetime structural warranty.

YOUR ROCKWOOD DEALER

201 West Elm Millersburg, IN 46543 | www.forestriverinc.com/Rockwood 574.642.2640



Learn More Scan this barcode using

a QR Reader on your smart phone to learn more about Forest River.



A Berkshire Hathaway company.

All specifications contained herein are based on the latest product information at time of printing. Forest River reserves the right to make changes in colors, materials, equipment and specifications at any time without notice and assumes no responsibility for any errors in this brochure. Litho. U.S.A. P.6 W: 2013.11.06